

EDITORIAL INDEX

1996

Volume 39

COVERS

Alpha Industries Inc.

"RF Component Selection for Wireless Portable Applications," No. 12, p. 86.

Analog Devices Inc.

"Software Radios," No. 2, p. 128.

Ansoft Corp.

"EDA Tools for Modeling Microwave Ferrite Devices," No. 6, p. 82.

Hewlett-Packard Co.

"Building Block RFICs for Wireless Applications," No. 4, p. 98.

KMW Inc.

"Switchable N-way Power Divider/Combiners," No. 10, p. 154.

Marconi Instruments

and Marconi Instruments Ltd.

"A 10 kHz to 2.4 GHz Multiple Source Generator," No. 3, p. 124.

Mini-Circuits

"Surface-mount Miniature Microwave Mixers," No. 8, p. 131.

MITEQ Inc.

"mm-wave Block Converters," No. 7, p. 144.

RF Micro Devices Inc.

"A High Efficiency, HBT Analog Cellular Power Amplifier," No. 1, p. 168.

Rogers Corp.

"A Low Cost Laminate for Wireless Applications," No. 9, p. 178.

Synergy Microwave Corp.

"Miniature Components for Wireless Applications," No. 11, p. 137.

COMPONENTS/SUBSYSTEMS

Fuks, Rudy

"High Power SMA-compatible Connectors," No. 9, p. 172.

Geffe, Philip

"The Design of Single-layer Solenoids for RF Filters," No. 12, p. 70.

Goldfarb, Marc, Joe Kaiser and Steve LeSage

"A Dual-mode CDMA/FM Driver Amplifier for Cellular Applications," No. 1, p. 68.

Gupta, Aditya, Mike Salib and Andy Ezis

"A High Efficiency 1.8 W, 6 to 15 GHz HBT MMIC Power Amplifier," No. 8, p. 20.

Güttich, U.

"Active Elements Used in Microstrip Dielectric Resonator Oscillators," No. 4, p. 92.

Howald, Robert and Chris McDonnell

"Design and Simulation of an Inhomogeneous Coupled-line Bandpass Filter," No. 7, p. 64.

Karacaoglu, Ulun and Ian D. Robertson

"A MMIC Active Bandpass Filter with FET Negative Resistance Elements," No. 7, p. 76.

Ludwig, M., H.P. Feldie and R. Reber

"A MMIC Variable-gain Amplifier for Tx/Rx Applications," No. 9, p. 136.

Maaz, Barak and Aharon Adar

"GaAs IC Receivers for Wireless Communications," No. 1, p. 102.

Schmiegner, K.E. and R. Gühl

"A Monolithic Integrated S-band Frequency Discriminator," No. 7, p. 114.

Simmons, James P. and Joseph M. Madden

"Practical HTS/Cryogenic Systems for Wireless Applications," No. 10, p. 124.

Talisa, S.H., M.A. Janocko, D.L. Meier, C. Moskowitz, R.L. Grassel, J. Talvacchio, P. LePage, G. Hira, D.C. Buck, S.J. Pieseski, J.C. Brown and G.R. Wagner

"A High Temperature Superconducting Four-channel Filterbank," No. 7, p. 106.

Varnes, Ross S. and Marek E. Bialkowski

"A Switched Radial Power Divider/Combiner for a Mobile Satellite Application," No. 11, p. 22.

ANTENNAS

Berkebile, J., A. Benalla and A. Jacobm-Hood

"A Two-element Phased-array Antenna for Reducing Multipath Effects in Hand-held SATCOM Units," No. 1, p. 24.

Chebelu, Siva, Raj Mittra and Wren Becker

"The Analysis of Microwave Antennas Using the FDTD Method," No. 1, p. 134.

Edward, B.J., R.S. Webb and S. Weinreb

"A W-band Active Phased-array Antenna," No. 5, p. 254.

Hickey, Gregory S. and Te-Kao Wu

"A Four-frequency Selective Surface Spacecraft Subreflector Antenna," No. 5, p. 240.

Linden, Derek S. and Edward E. Altshuler

"Automating Wire Antenna Design Using Genetic Algorithms," No. 3, p. 74.

Sánchez-Hernández, David

and Ian D. Robertson

"A Survey of Broadband Microstrip Patch Antennas," No. 9, p. 60.

DESIGN

Jaissin, Denis

"A Suspended Bridge for Coplanar Waveguides," No. 5, p. 280.

Jandzinski, David A., John W. Stafford

and Phil M. Huang

"Multilayer PTFE Circuits for RF Applications," No. 5, p. 264.

Katz, Allen

"TWTA Linearization," No. 4, p. 78.

Maas, S.A.

"Accurate Design of Lange Couplers on GaAs," No. 8, p. 90.

Martin, Jose Luis Jimenez

and Francisco Javier Ortega González

"Accurate Linear Oscillator Analysis and Design," No. 6, p. 22.

Nakayama, Masatoshi, Kazutomi Mori,

Kazuhisa Yamauchi, Yasushi Itoh

and Yasuo Mitsui

"An Amplitude and Phase Linearizing Technique for Linear Power Amplifiers," No. 3, p. 96.

Staudinger, Joe

"Multiharmonic Load Termination Effects on GaAs MESFET Power Amplifiers," No. 4, p. 60.

Vennema, Korné

"Two-tone Linearity in a 900 MHz Silicon Bipolar Class AB Amplifier," No. 2, p. 88.

Yabuki, Hiroyuki, Michiaki Matsuo,

Morioka Sagawa and Mitsuo Makimoto

"Stripline Dual-mode Ring Resonators and Their Application to Microwave Devices," No. 6, p. 72.

CAD/CAM APPLICATIONS

Budimir, D. and V. Postoyalko

"A CAD Package for E-plane Filters," No. 8, p. 110.

Chen, Yi Yuan, Lei Yin, Xiao-Wei Zhu

and Wei Hong

"A Versatile Numerical Method and Software Package for E-plane Filter Design," No. 11, p. 68.

Geis, Larry A. and Lawrence P. Dunleavy

"Power Contour Plots Using Linear Simulators," No. 6, p. 60.

Heinrich, W., H. Zscheile, W. Bischof, R. Keller

and R. Lohrmann

"MMIC Spiral Inductor Modeling," No. 5, p. 286.

Sevic, John F. and Joseph Staudinger

"Simulation of Adjacent-channel Power for Digital Wireless Communication Systems," No. 10, p. 66.

INSTRUMENTS/MEASUREMENTS

Buxton, Bob

"Spectrum vs. Modulation Analysis: Both Are Needed," No. 12, p. 22.

Clark, C.J., A.A. Moulthrop, M.S. Muha

and C.P. Silva

"Network Analyzer Measurement of Frequency-translating Devices," No. 11, p. 114.

Dong, Cynthia

"Frequency Domain Reflectometry: An Old Concept with a New Application," No. 7, p. 124.

Jordan, Gary Blake

and John Bryan Bolton

"Stimulating Platform-mounted Microwave Antennas: The Loop Probe," No. 3, p. 116.

Law, Bill and Mike Groh

"Identifying RF-related Impairments in Full-service Digital Networks," No. 3, p. 88.

Oldfield, Bill

"The Connector Interface and its Effect on Calibration Accuracy," No. 3, p. 106.

Ray, U.C., A.K. Gupta

and Kavita Monga

"Measurements of Minority-carrier Lifetime in PIN Diodes," No. 7, p. 134.

mm-WAVE

Alm, Roberto

"Front-end Technologies in mm-wave Data Communications," No. 4, p. 22.

Smith, R.M., K.D. Trott, B.D. Sundstrom

and Doc Ewen

"The Passive mm-wave Scenario," No. 3, p. 22.

MIC/MMIC

Brunel, A., E. Douglas, K. Gallagher, J. Gillis,

M. Goff, S. LeSage, E. Lewis, R. Pengelly,

C. Ruhe and J. Sano

"A Downconverter for Use in a Dual-mode AMPS/CDMA Chip Set," No. 3, p. 20.

Cardullo, M., E. Douglas, M. Goff, J. Griffiths,

K. Harrington, J. Kaiser, S. LeSage

and R. Pengelly

"Transmitter Chips for Use in a Dual-mode AMPS/CDMA Chip Set," No. 3, p. 60.

Tempel, R.

"A Coplanar Line Technique Used with Transistor Switches for MMIC Applications," No. 5, p. 274.

[Continued on page 96]

EDITORIAL INDEX

1996

Volume 39

■ SYSTEMS

Blackwell, Richard H.

"Analysis of Peak Power in GSM and CDMA Digital Cellular Systems," No. 10, p. 94.

Boch, Erik

"High Bandwidth mm-wave Indoor Wireless Local Area Networks," No. 1, p. 152.

Carey, Tim

"Fading and Multipath Testing in Communications Systems," No. 11, p. 90.

Eriksson, Lars and Sigvard Brodén

"High Performance Automotive Radar," No. 10, p. 24.

Everett, Carl L.

"Phase Noise Contamination to Doppler Spectra," No. 9, p. 105.

Heide, P., R. Schubert, V. Mägori and R. Schwart

"A High Performance Multisensor System for Precise Vehicle Ground Speed Measurement," No. 7, p. 22.

Soliman, Samir and Charles Wheatley

"Frequency Coordination between CDMA and non-CDMA Systems," No. 1, p. 86.

■ SPECIAL REPORTS

Bashore, Frank

"TELECOM '95," No. 1, p. 164.

Bashore, Frank

"A 1996 Wireless Workshop Review," No. 11, p. 128.

Bright, Julian, Stephen McClelland and Bhawani Shankar

"Microwave in Europe: Trends Shaping the Future," No. 9, p. 51.

Budwey, James N.

"INTER COMM '97: A Communications Industry Event Not to be Missed!" No. 11, p. 132.

Ellowitz, Howard I.

"1996 US GaAs Foundry Survey," No. 8, p. 100.

Faubert, Richie

"Industry Trends and the Effects of Convergence," No. 1, p. 160.

Gizinski, III, Stephen J.

and J. Christopher Cardoso

"High Data Rate Wireless Communications," No. 10, p. 102.

Harris, John

"GSM Basics: An Introduction," No. 10, p. 84.

Herskovits, Don

"The Other SIGINT/ELINT," No. 9, p. 22.

Hughes Electronics

"Packaging Chips," No. 9, p. 150.

Kennedy, Joe, Phil Harvey, Mark Sullivan and Richard Minthorne

"Characterization of the Cellular Radio Environment," No. 11, p. 50.

Mead, James B., Steve Frasier

and Robert E. McIntosh

"Instrumentation for Environmental Remote Sensing," No. 9, p. 162.

Press Service, International

Telecommunication Union

"Universal Personal Communications," No. 7, p. 98.

Shankar, Bhawani

"GSM: The Upwardly Mobile Standard," No. 7, p. 88.

Shankar, Bhawani

"Mobile Satellites Gather Speed," No. 10, p. 138.

Steyskal, Hans

"Digital Beamforming at Rome Laboratory," No. 2, p. 100.

Takimoto, Yukio and Minoru Kotaki

"Recent Development of mm-wave Applications in Japan," No. 5, p. 214.

"The 1996 Wireless Workshop,"

No. 8, p. 25.

■ PRODUCT FEATURES

AB Millimetre

"THz Vector Network Analysis," No. 4, p. 128.

All Systems Inc. Subsidiary of Eaton Corp.

"A High Gain Dual-polarized Conical Antenna," No. 6, p. 102.

Amplifonix Inc.

"An Electronic Amplifier Design Guide," No. 4, p. 140.

Anritsu Wiltron Co.

"Frequency Domain Reflectometry Aids Cable and Antenna Maintenance," No. 2, p. 138.

Anritsu Wiltron Co.

"A VNA That Simplifies Nonlinear Testing," No. 3, p. 140.

Anritsu Wiltron Co.

"Microwave Synthesizers That Offer Complex Modulation," No. 8, p. 134.

Anritsu Wiltron Co.

"Lightweight Portable Spectrum Analyzers to 8 GHz," No. 11, p. 160.

ATN Microwave Inc.

"A Load Pull System with Harmonic Tuning," No. 3, p. 128.

Avista Design Systems

"PC-based Fast Nonlinear Simulation," No. 7, p. 164.

Boonton Electronics

"A High Speed Power Meter for ATE Environments," No. 9, p. 188.

Boulder Microwave Technologies Inc.

"Planar Antenna Design and Analysis Software," No. 6, p. 96.

Ceramics Process Systems Corp.

"AlSiC Microwave Packages," No. 6, p. 90.

COMSAT Laboratories

"Antenna Design and Analysis Software," No. 8, p. 138.

Dassault Electronique

"A MCM Direct Digital Synthesizer with 12-bit Resolution," No. 5, p. 302.

DBS Microwave Inc.

"A 28 GHz, 1 W Solid-state Upconverter," No. 7, p. 176.

Eagleware Corp.

"Integrated Software for RF/Microwave Design," No. 1, p. 188.

GEC Plessey Semiconductors

"A Low Cost Pager Receiver Using AFC and On-chip Filtering," No. 12, p. 100.

GT Microwave Inc.

"A Broadband I & Q Vector Modulator," No. 12, p. 108.

Hewlett-Packard Co.

"VNA Productivity and Calibration Improvements," No. 5, p. 306.

J microTechnology

"Measuring Microstrip Structures," No. 2, p. 144.

Kaman Sciences Corp.

"A C-band Low Noise Amplifier," No. 11, p. 158.

KDI/triangle Corp., an MCE company

"A PIN Diode Attenuator for PCS/Cellular Applications," No. 9, p. 192.

Logus Microwave Corp.

"A Ku-band Uplink RF Switcher/Combiner," No. 9, p. 184.

Micro Lambda Inc.

"PCB-mounted YIG Sources," No. 1, p. 182.

Micron Communications Inc.

"A Spread Spectrum Chip for RIC Applications," No. 11, p. 144.

Micronetics Wireless

"A Low Cost Noise Figure Measurement Instrument," No. 7, p. 170.

Microwave Development Co. Inc. (MDC)

"mm-wave Sources for Digital Radio Applications," No. 10, p. 176.

Mini-Circuits

"Low Cost, Medium Power Monolithic Amplifiers," No. 10, p. 174.

Modco Inc.

"Miniature VCOs for Wireless Communications," No. 5, p. 310.

Noise Com Inc.

"A Precision E_f/N_0 Generator," No. 8, p. 146.

Ohl Semiconductor

"Low Cost, 3 V RF Power Amplifiers for AMPS," No. 1, p. 186.

Optotek Ltd.

"A Major RF/Microwave CAE/CAT Package Upgrade," No. 5, p. 292.

Pacific Microelectronics Corp.

"A Multilayer Ceramic PCB," No. 12, p. 114.

Penny Technologies Inc.

"Correction Modules for Feedforward Applications," No. 8, p. 142.

Poly Circuits Inc.

"A Highly Conductive High Frequency Silicone Adhesive," No. 5, p. 298.

RelComm Technologies Inc.

"A Subminiature SMT SP2T Coaxial Relay," No. 2, p. 150.

REMEC Wireless

"Ceramic Filters and Duplexers for Base Station and Microcell Applications," No. 10, p. 170.

RF Micro Devices

"Low Cost HBT Upconverters for CDMA Transmitter ICs," No. 11, p. 154.

RF Monolithics Inc.

"A Low Power Receiver/Transmitter Set for Wireless Applications," No. 5, p. 314.

Sabritec

"Ultraminiature Coaxial Connectors," No. 2, p. 148.

SCT Inc.

"A Receiver Front End for Wireless Base Stations," No. 4, p. 116.

Sonnet Software Inc.

"A Three-dimensional TLM Microwave Design Tool," No. 3, p. 134.

[Continued on page 98]

EDITORIAL INDEX

1996

Volume 39

Vectron Laboratories Inc.

"A Vacuum-insulated EMXO," No. 4, p. 132.

Wavesat Inc.

"Feedforward Gain Modules for Cellular Applications," No. 11, p. 150.

WEST-BOND Inc.

"Wire Bond Alignment: A New Angle," No. 4, p. 124.

XL Microwave Inc.

"60 GHz Frequency Counters," No. 10, p. 178.

1996 MTT-S CONFERENCE

Anderson, Gale and Amy Norcross

"Treat Yourself to San Francisco," No. 5, p. 42.

Bashore, Frank

"1996 MTT-S IMS: The Biggest and Best Ever," No. 8, p. 80.

Crescenzi, Jim and Joseph Barrera

"Bridging the Spectrum," No. 5, p. 24.

Exhibition Guide,

No. 5, p. 58.

Exhibitors' List,

No. 5, p. 108.

Technical Program,

No. 5, p. 114.

Exhibition Floor Plan,

No. 5, p. 112.

"MTT-S in San Francisco: One Giant Event,"

No. 5, p. 28.

COMMERCIAL APPLICATIONS

Daigle, Bob

"PCB Materials and Design Approaches for Commercial Microwave Applications," No. 2, p. 94.

Pratt, William H.

"A Quadrature Modulator/Demodulator IC Covering Baseband to 250 MHz," No. 12, p. 58.

Zimmermann, B., W. Wiesbeck and J. Kehrbeck

"24 GHz Microwave Close-range Sensors for Industrial Measurement Applications," No. 5, p. 228.

LIGHTWAVE

Goutzoulis, Akis, John Zomp and Andy Johnson

"An Eight-element, Optically Powered, Directly Modulated Receive UHF Fiber-optic Manifold," No. 2, p. 74.

TUTORIAL SERIES

Elmi, Nick and Matthew Radmanesh

"Design of Low Noise, Highly Stable GaAs Di-electric Resonator Oscillators," No. 11, p. 104.

Ferri, Giuseppe and Joseph Lahr

"A Ladder Structure as an Electrical Model for Determining Resonant Transmission Line Characteristics," No. 12, p. 78.

Goldberg, B.G.

"The Evolution and Maturity of Fractional-N PLL Synthesis," No. 9, p. 124.

Hamilton, John

"Applying Eye Pattern Measurements to Digital Communications Systems," No. 10, p. 148.

Olson, Todd

"An RF and Microwave Fiber-optic Design Guide," No. 8, p. 54.

WIRELESS SYMPOSIUM AND EXHIBITION

Exhibition Showcase,

No. 1, p. 116.

Symposium Show Guide,

No. 1, p. 124.

Exhibitors' List,

No. 1, p. 130.

Two Great Names in Wireless



SPINNER



PRECISION TUBE CO. INC.
CONXTUBE DIVISION


One Great Source

Exclusive North American Marketer:



PRECISION TUBE CO. INC.
CONXTUBE DIVISION

620 Naylor Mill Rd., Salisbury, MD 21801
Tel: (410) 546-3911 • Fax: (410) 546-3913




SEMI-RIGID CABLE

- Copper, aluminum, stainless steel
- Impedances 10 to 100 ohms
- Diameters .020 to .500 inches
- Military qualified products



CABLE ASSEMBLIES

- Semi-rigid — straight
- Semi-rigid — preformed
- Flexible
- Custom delay lines



SPINNER GmbH 7-16 CONNECTORS & CABLES

- 7-16 coaxial connectors
- Jumper cables
- Attenuators

Fax or call for your requirements.
Complete details and catalog available.